

<論文 1st author>

1. Sakamoto H, Kitano M, Kudo M, et al. Transcatheter endoscopy for pancreaticobiliary duct disease (with video). *Gastrointest Endosc.* 2012; 76:892-9.
2. Sakamoto H, Kimura H, Kitano M, et al. Plasma concentration of angiogenesis-related molecules in patients with cancer. *Jpn J Clin Oncol.* 2012;42:105-12.
3. Sakamoto H, Kitano M, Kudo M, et al. Endoscopic ultrasound-guided neurolysis in pancreatic cancer. *Pancreatol.* 2011;2:52-8.
4. Sakamoto H, Kitano M, Takeyama Y, Kudo M. Estimation of the malignant potential of GISTs by contrast-enhanced harmonic EUS. *Gastrointestinal Endoscopy.* 2011;73:227-37.
5. Sakamoto H, Kitano M, Kudo M, et al. EUS-guided broad plexus-neurolysis over the superior mesenteric artery using a 25 gauge needle. *Am J Gastroenterol.* 2010;105:2599-606.
6. Sakamoto H, Kitano M, Komaki T, Takeyama Y, Kudo. Diagnosis of subepithelial tumors in the upper gastrointestinal tract by endoscopic ultrasonography. *World J Radiology.* 2010; 2: 289-97.
7. Sakamoto H, Kitano M, Komaki T, Takeyama Y, Kudo. Diagnosis of pancreatic tumors by endoscopic ultrasonography. *World J Radiology.* 2010; 2: 122-34.
8. Sakamoto H, Kitano M, Kudo M, et al. Small invasive ductal carcinoma of the pancreas distinct from branch duct intraductal papillary mucinous neoplasm. *World J Gastroenterol.* 2009; 21;15:5489-92.
9. Sakamoto H, Kitano M, Komaki T, Takeyama Y, Kudo M. Endoscopic ultrasound-guided pancreaticogastrostomy reconstruction. *Endoscopy.* 2007;39:E70-1.
10. Sakamoto H, Kitano M, Kudo M, et al. Utility of contrast-enhanced endoscopic ultrasonography for diagnosis of small pancreatic carcinomas. *Ultrasound Med Biol.* 2008;34:525-32.
11. Sakamoto H, Kitano M, Dote K, Tchikugo T, Takeyama Y, Kudo M. In situ carcinoma of pancreas diagnosed by EUS-FNA. *Endoscopy.* 2008: E15-6.
12. Sakamoto H, Kitano M, Kudo M, et al. Endoscopic ultrasound guided biliary drainage for obstructive jaundice. *Gastroenterological endoscopy.* 2007; 49: 1844-8
13. Sakamoto H, Kitano M, Kudo M, et al. Prospective comparative study of the EUS guided 25-gauge FNA needle with the 19-gauge Trucut needle and 22-gauge FNA needle in patients with solid pancreatic masses. *JGH.* 2008;55:1785-8.
14. Sakamoto H, Kitano M, Suetomi Y, Takeyama Y, Ohyanagi H, Nakai T, Yasuda C, Kudo M. Comparison of standard-dose and low-dose gemcitabine regimens in pancreatic adenocarcinoma patients: a prospective randomized trial. *J Gastroenterol.* 2006 Jan;41(1):70-6.
15. Sakamoto H, Kitano M, Kudo M. Value of computed tomography for evaluating the injections site in endosonography-guided celiac plexus neurolysis. *Digestive Endoscopy.* 2006.18;206-211
16. Sakamoto H, Harad S, Nishioka N, Kuhirhara T, Higuchi K, Kitano M, Takeyama Y, Kogire M, Kudo M. A Social program for the Early Detection of Pancreatic Cancer; The kishiwada katsuragi project. *Oncology* 2017;93:89-97. 他